






Ningbo FengHua TianDi AirBrush Manufacture Co., Ltd.




ADD:No.2 Xingjia Rd,Xikou Dao
 Industrial Area,Fenghua Ningbo
 city,Zhejiang province,P.R.CHINA
 Tel:0086-574-88657474
 E-mail:sales003@tdairbrush.com
 Contact: Daphne
 Skype or What's APP:
 86 131 7515 0025

| Model | Picture | Specification | Price |
|--------|---------|--|-------|
| HT-192 | | Feed Type:Gravity feed Nozzle:Dia.0.3 mm Cup capacity:8.4cc Working Pressure:15-50PSI Double-action Trigger Air-paint Control. Include: 1PC* Airbrush 2PCS*0.3mm Nozzle 2PCS*0.3mm Needle 1PC*Quick couplers 1PC*Small spanner Dimensions(CM): 49x29x48 PCS/CTN:20 N.W.:9.4KG/10.9K G | |
| Model | Picture | Specification | Price |
| | | Dual action airbrush | |

| TD-180AX |  | <p>Pressure adjustable Feed Type: Gravity Fluid Nozzle: 0.3mm Air Consumption: 15~50PSI Capacity Of Fix Cup: 9CC Suitable for Artwork, Design Painting. Carton Dimensions(CM):41x36x25 PCS/CTN:30 N.W.:9KG/11KG</p> | |
|----------|---|---|-------|
| Model | Picture | Specification | Price |
| TD-130SS |  | <p>Dual action Airbrush Feed Type: Gravity Nozzle:0.3mm Cup Capacity: 7CC Working Pressure: 15~50PSI 1PC* Clean Needle Carton Dimensions: 41x36x25 CM PCS/CTN:30 N.W.:8KG/10KG</p> | |
| Model | Picture | Specification | Price |
| |  | <p>Feed Type: Gravity Nozzle: Dia.0.3 mm Cup capacity: 20cc Working Pressure:</p> | |

| TD-105B |  | 15-50PSI Double-action Trigger Air-paint Control. Carton Dimensions (CM): 45x38x31.5 PCS/CTN: 30 N.W.: 11KG/13KG | |
|---------|---|--|-------|
| Model | Picture | Specification | Price |
| TD-105W |  | Feed Type: Gravity Nozzle: Dia.0.3 mm Cup capacity: 20&40cc Working Pressure: 15-50PSI Double-action Trigger Air-paint Control. Carton Dimensions (CM): 45x38x31.5 PCS/CTN: 30 N.W.: 12KG/14KG | |
| Model | Picture | Specification | Price |
| TD-128 |  | Dual action Airbrush Feed Type: Suction Nozzle: Dia. 0.35mm Metal Cup: 1*5CC PU Air Hose:1.5M Metal Hanger: 1 pc Control: Push- Button Glass Jars: 2*22CC Spanner: 1pc Regulator: G1/4"(F) 5mm(M) Carton Dimensions(CM):4 1x36x29 PCS/CTN:30 | |




| | | N.W.:11KG/13KG | |
|---------|---|---|-------|
| Model | Picture | Specification | Price |
| TD-128A |  | Double action Airbrush Feed type:Suction Nozzle Dia.:0.35MM Control:Pull-Button Plastic bottle:100CC Spanner:1PC Carton Dimensions: 41*35*31CM PCS/CTN:30PCS N.W.:11KG/13KG | |
| Model | Picture | Specification | Price |
| TD-128P |  | Dual action Airbrush Feed Type: Suction Nozzle: Dia. 0.35mm Metal Cup: 1X5CC Metal Hanger: 1 pc Control: Push- Button Glass Jars: 2X22CC Spanner: 1pc Carton Dimensions(CM):4 1x36x29 PCS/CTN:30 N.W.:11KG/13KG | |
| Model | Picture | Specification | Price |
| |  | Dual action Airbrush Feed Type: Suction | |




| TD-128PS |  | Nozzle: Dia. 0.35mm Metal Cup: 1X5CC Metal Hanger: 1 pc Control: Pull-Button Glass Jars: 2X22CC Spanner: 1pc Carton Dimensions(CM):4 1x36x29 PCS/CTN:30 N.W.:11KG/13KG | |
|----------|---|---|-------|
| Model | Picture | Specification | Price |
| TD-600A |  | Dual action Airbrush Feed Type: Suction Nozzle: Dia. 0.35mm Metal Cup: 1X5CC Metal Hanger: 1 pc Control: Push- Button Glass Jars: 1X22CC Spanner: 1pc Carton Dimensions(CM):4 1x36x29 PCS/CTN:30 N.W.:11KG/13KG | |
| Model | Picture | Specification | Price |
| TD-130E |  | Dual action Airbrush Feed Type: Gravity Nozzle: Dia. 0.2mm, 0.3mm (normal 0.3mm) Cup Capacity: 7CC Working Pressure: 15~50PSI Carton | |






Dimensions(CM):4
1x36x25
PCS/CTN:30
N.W.:8KG/10KG


| Model | Picture | Specification | Price |
|---------|---------|--|-------|
| TD-131 | | <p>Dual action Airbrush Feed Type: Gravity Nozzle: Dia. 0.3mm, 0.4mm (normal 0.3mm) Cup Capacity: 20&40CC Working Pressure: 15~50PSI</p> <p>Carton Dimensions(CM):4 1x36x25 PCS/CTN:30 N.W.:8KG/10KG</p> | |
| Model | Picture | Specification | Price |
| TD-132E | | <p>Dual action Airbrush Internal mix Airbrush Feed Type: Side Feed Nozzle: Dia. 0.3mm Cup Capacity: 7CC Working Pressure: 15~50PSI</p> <p>Carton Dimensions(CM):4 1x36x25 PCS/CTN:30 N.W.:9KG/11KG</p> | |
| Model | Picture | Specification | Price |
| | | <p>Feed Type: Side Feed</p> | |



| TD-133E |  | <p>Dual action Airbrush Feed type: Side feed Nozzle: Dia 0.3mm Cup capacity: 22CC Working pressure: 15~50PSI Adjustment style: outside adjustment Carton Dimensions(CM):4 1x36x29 PCS/CTN:30 N.W.:9KG/11KG</p> | |
|---------|---|--|-------|
| Model | Picture | Specification | Price |
| TD-134E |  | <p>Feed Type: Side Feed Dual action Airbrush Nozzle Dia:0.3 mm Cup capacity:7CC&22cc Working Pressure:15-50PSI</p> <p>Carton Dimensions(CM):4 1x36x30 PCS/CTN:30 N.W.:11KG/13KG</p> | |
| Model | Picture | Specification | Price |
| TD-135E |  | <p>Feed Type: Gravity Fluid Nozzle: 0.2mm Air Consumption: 15~50PSI Capacity Of Fix Cup: 2CC Double-action Trigger Control.</p> | |




| |  | Suitable for Artwork, Design Painting. Carton Dimensions(CM):41x36x25 PCS/CTN:30 N.W.:8KG/10KG | |
|---------|---|---|-------|
| Model | Picture | Specification | Price |
| TD-136E |  | Feed Type: Gravity Fluid Nozzle: 0.3mm Air Consumption: 15~50PSI Capacity Of Fix Cup: 2CC Double-action Trigger Control. Suitable for Artwork, Design Painting. Carton Dimensions(CM):41x36x25 PCS/CTN:30 N.W.:8KG/10KG | |
| Model | Picture | Specification | Price |
| TD-137E |  | Feed Type: Gravity Fluid Nozzle: 0.3mm Air Consumption: 15~50PSI Capacity Of Fix Cup: 2CC Double-action Trigger Control. Suitable for Artwork, Design Painting. Carton Dimensions(CM):41x36x25 | |




| Model | Picture | Specification | Price |
|---------|---|--|-------|
| TD-138 |  | <p>PCS/CTN:30 N.W.:8KG/10KG</p> <p>Single action Airbrush Spray pattern adjusts from 1/4" to 1-1/2" for max versatility. Includes fine head airbrush, 5ft. vinyl hose, with cover attach 3/4 oz. Jar, propel regulator and adaptor (1/4" air hose from the compressor to the smaller airbrush hose.) Operating pressure: 15-50 PSI Carton Dimensions(CM):4 1X36X29 PCS/CTN:30 N.W.:9.2KG/11.2K G</p> | |
| Model | Picture | Specification | Price |
| TD-139E |  | <p>Feed Type: Gravity Nozzle Dia: 0.2mm Cup capacity: 0.5cc Working Pressure: 15-50psi Carton Dimensions(cm): 41X36X25 PCS/CTN: 30 N.W.:8KG/10KG</p> | |
| Model | Picture | Specification | Price |
| | | Dual action | |




| TD-180 |  | airbrush Pressure adjustable Feed Type: Gravity Fluid Nozzle: 0.25mm Air Consumption: 15~30PSI Cup: 9CC Suitable for Artwork, Design Painting. Dimensions(CM):41x36x25 PCS/CTN:30 N.W.:9KG/11KG | |
|---------|---|--|-------|
| Model | Picture | Specification | Price |
| TD-180G |  | Dual action airbrush Pressure adjustable Feed Type: Gravity Fluid Nozzle: 0.25mm Air Consumption: 15~30PSI Capacity Of Fix Cup: 9CC Suitable for Artwork, Design Painting. Carton Dimensions(CM):41x36x25 PCS/CTN:30 N.W.:9KG/11KG | |
| Model | Picture | Specification | Price |
| TD-181 |  | Feed type: Gravity Nozzle Dia: 0.3mm Cup Capacity: 13CC Working Pressure: 15-50PSI Carton Dimensions(CM): | |




| |  | <p>50X38X25.5 PCS/CTN: 50 N.W/GW: 15Kg/17Kg Double-action Trigger Air-paint Control</p> | |
|---------|---|---|-------|
| Model | Picture | Specification | Price |
| TD-181A |  | <p>Feed type: Side Feed Nozzle Dia: 0.3, 0.5 or 0.8mm Cup Capacity: 13CC Working Pressure: 15-50PSI Carton Dimensions(CM): 50X38X25.5 PCS/CTN: 50 N.W/GW: 15Kg/17Kg Double-action Trigger Air-paint Control</p> | |
| Model | Picture | Specification | Price |
| TD-182 |  | <p>Dual action airbrush Fluid Nozzle: 0.5mm Air Consumption: 15~50PSI Capacity Of Cup: 22cc Spray Control: Back stop screw Suitable for Artwork, Design Painting. Carton Dimensions(CM):4 1x36x29</p> | |



| Model | Picture | Specification | Price |
|----------|---|--|-------|
| | | PCS/CTN:30 N.W./G.W.:9KG/11 KG | |
| TD-182S |  | Dual action airbrush Fluid Nozzle:0.3mm Air Consumption: 15- 50PSI Capacity Of Cup: 100CC Spray Control:Back stop screw Suitable for Artwork,Design Painting. Carton Dimensions: 41*35*31CM PCS/CTN:30PCS N.W.:9KG/11KG | |
| Model | Picture | Specification | Price |
| TD-182SF |  | Dual action airbrush Fluid Nozzle: 0.35mm Air Consumption: 15~50PSI Capacity Of Cup: 22cc Spray Control: Back stop screw Suitable for Artwork, Design Painting. Carton Dimensions(CM):4 1x36x29 PCS/CTN:30 N.W./G.W.:9KG/11 KG | |
| Model | Picture | Specification | Price |




| TD-183 |  | <p>Feed type: Gravity Nozzle Dia: 0.3, 0.5 or 0.8mm Cup Capacity: 2 & 5 & 13CC Working Pressure: 15-50PSI Carton Dimensions(CM): 50X38X25.5 PCS/CTN: 50 N.W/GW: 15Kg/17Kg</p> | |
|--------|---|---|-------|
| Model | Picture | Specification | Price |
| TD-184 |  | <p>Feed type: Side feed Nozzle Dia: 0.5mm Cup Capacity: 13CC Working Pressure: 15-50PSI Carton Dimensions(CM): 50X38X25.5 PCS/CTN: 50 N.W/GW: 15Kg/17Kg Double-action Trigger Air-paint Control</p> | |
| Model | Picture | Specification | Price |
| |  | <p>Feed type: Gravity Nozzle Dia: 0.3, 0.5 or 0.8mm Cup Capacity: 2 & 5 & 13CC Working Pressure: 15-50PSI Carton</p> | |

| ID-186 |  | Dimensions(CM): 50X38X25.5 PCS/CTN: 50 N.W/GW: 15Kg/17Kg Double-action Trigger Air-paint Control | |
|--------|---|--|-------|
| Model | Picture | Specification | Price |
| TD-200 |  | Feed Type: Gravity Nozzle: Dia.: 0.2mm Capacity of fixed cup: 2CC Air consumption: 15-50PSI Suitable for Artwork,Design Painting Carton Dimensions(CM): 41X36X25 PCS/CTN: 30 N.W./G.W.:8KG/10 KG. | |
| Model | Picture | Specification | Price |
| TD-202 |  | Feed Type: Side feed Nozzle: Dia.: 0.2mm&0.3mm Capacity of fixed cup: 5CC Air consumption: 15-50PSI Suitable for Artwork, Design Painting Carton Dimensions(CM): 41X36X25 PCS/CTN: 30 N.W./G.W.:8KG/10 KG. | |

| Model | Picture | Specification | Price |
|--------|---|--|-------|
| TD-203 |  | Feed Type: Gravity Fluid nozzle(dia): 0.2 & 0.3mm Air consumption: 15-30psi Capacity of cup: 7CC Carton Dimensions(CM): 41x36x25 PCS/CTN: 30 N.W.: 8KG/10KG | |
| TD-206 |  | Feed Type: Gravity Fluid nozzle(dia): 0. 3mm Air consumption: 15-50psi Capacity of cup: 5CC Spray control: Single action spraying Carton Dimensions(CM): 44x38x30 PCS/CTN: 30 N. W.: 12KG/14KG | |
| TD-207 |  | Feed Type: Gravity Nozzle Dia: 0.3mm Cup capacity: 2cc Working Pressure: 15-50psi Carton Dimensions(cm): 50 x38 x25.5 PCS/CTN:50 | |

| |  | N.W./G.W:13.5/15.5 5 Double-action Trigger Air-paint Control. | |
|--------|---|--|-------|
| Model | Picture | Specification | Price |
| TD-208 |  | Feed Type: Gravity Nozzle Dia: 0.2mm Cup capacity: 2cc Working Pressure: 15-50psi Carton Dimensions(cm): 50 X 38 X 25.5 PCS/CTN: 50 N.W./G.W:13.5 /15.5 Double-action Trigger Air-paint Control. | |
| Model | Picture | Specification | Price |
| TD-209 |  | Feed Type: Gravity Nozzle Dia.:0.4mm Body Length:140mm Working Pressure:5-30PSI Control: Push- Button Cup capacity: 2CC Carton Dimensions(CM): 44x38x30 PCS/CTN: 30 N. W.: 8KG/10KG (special offered for airbrush makeup) | |

| Model | Picture | Specification | Price |
|--------|---|---|-------|
| TD-210 |  | <p>Feed Type: Gravity Nozzle Dia.:0.4mm Body Length:140mm Working Pressure:5-30PSI Control: Push-Button Cup capacity: 2CC with lid Carton Dimensions(CM): 44x38x30 PCS/CTN: 30 N. W.: 8KG/10KG (special offered for airbrush makeup)</p> | |
| Model | Picture | Specification | Price |
| TD-116 |  | <p>Feed Type:Side feed Nozzle:Dia.0.3 mm Cup capacity:7CC&10cc Working Pressure:15-50PSI Double-action Trigger Air-paint Control. Mulit color choose Carton Dimensions(CM):44x38x30 PCS/CTN:30 N.W.:14KG/16KG</p> | |
| Model | Picture | Specification | Price |
| | | Feed Type: Gravity | |

| TD-116A |  | Nozzle Dia: 0.3 Needle Dia: 0.3 Cup Capacity: 2CC & 5CC & 13CC Working Pressure: 15-50PSI Carton Dimensions(CM): 47X35X30 PCS/CTN: 30 N.W/GW: 14Kg/16Kg Mult color choose | |
|---------|---|---|-------|
| Model | Picture | Specification | Price |
| TD-268 |  | Feed Type:Siphon feed Nozzle:Dia.0.3 mm Cup capacity:22cc Working Pressure:15-50PSI Single-action Trigger Air-paint Control. | |
| Model | Picture | Specification | Price |
| TD-178 |  | FeedType:Gravity NozzleDia:0.5mm CupCapacity:15cc AirHose:1.8m WorkingPressure:3 0-65psi CartonDimensions(cm):47*35*30 PCS/CTN:20 N.W./G.W.:16/18kg | |

If you have any other requirements or questions, welcome to visit our website,
or just contact with us directly. Thank you!

Have a nice day!

Regards

Daphne Xia

Skype: 86 131 7515 0025

What's APP: 86 131 7515 0025

WeChat: Xdn-936

